



*Energy*  
**SAVERS**  
**LOW-H<sub>2</sub>O**




**LINEA PLUS**  
The most powerful heat emitters for  
condensing boilers and heat pumps

WWW.  
**THE RADIATORFACTORY**  
.COM






LINEA PLUS  
wall mounted cabinet



## WARM POWER, SLIM LINE

The figure of a top model. Linea Plus carries off its cover in style. The Low-H<sub>2</sub>O element heats quickly while saving energy. The flat front panel looks sleek and discreet. Pipes and vents can be neatly hidden behind the cabinet. Whether you live in an antique or modern interior, Linea Plus will always fit right in.

### DIMENSIONS



Linea Plus is available in lengths from 19.5" (50) to 110" (280).

### OUTPUT

Type	d	h	D	H 8	13.5	19.5	25.5	37.5
				(20)	(35)	(50)	(65)	(95)
10	4 (10)	4 (10)	4 41/64 (11.8)	638	881	1081	1256	1561
11	4 (10)	8 (20)	4 41/64 (11.8)	---	1235	1472	1668	1976
15	6 (15)	4 (10)	6 39/64 (16.8)	1166	1477	1716	1917	2248
16	6 (15)	8 (20)	6 39/64 (16.8)	---	1829	2195	2505	3014
20	8 (20)	4 (10)	8 37/64 (21.8)	1565	2020	2374	2674	3171
21	8 (20)	8 (20)	8 37/64 (21.8)	---	2340	2889	3386	4302

Average output in BTU/h foot with 65°F (18.3°C) entering air and 1 GPM flow rate. Mean water temperature of 160°F (71.1°C).

### CONNECTION OPTIONS

- thermostatic valve set for easy wall connection
- all Jaga connection sets are adjustable and completely lockable: fin tube elements can be removed without draining the system

Note: dimensions in "( )" are shown in centimeters.

## THE MOST POWERFUL HEAT EMITTERS



### Significant energy savings

The most efficient and modern fin tube element, that complies with actual AND future building standards and technologies.

### For all low temperature hydronic systems

Perfectly suited for condensing boilers, heat pumps and solar systems.

### The perfect partner for radiant heating

for improved temperature control and energy efficiency.

Brass collectors with 1/2" connections

With dirt-repellent and dust-proof lacquer in graphite grey

Up to 16 parallel copper tubes for the best heat emission

55 Corrugated aluminum fins per foot for super heat-output at low water temperatures

